



Republic of the Philippines
Department of Education
 REGION XI
 SCHOOLS DIVISION OF PANABO CITY

Office of the Schools Division Superintendent

DIVISION MEMORANDUM
 SGOD-2026-0001

To : Assistant Schools Division Superintendent
 Chief of the Schools Governance and Operations Division
 Chief of the Curriculum and Implementation Division
 Education Program Supervisors
 Public Schools District Supervisors
 School Health and Nutrition Section
 School Heads of Public Elementary and Secondary Schools

Subject: **OPLAN KALUSUGAN SA DEPED - HEALTHY LEARNING INSTITUTION (OKD-HLI) ONSITE VALIDATION**

Date: January 5, 2026

Attached is Regional Memorandum ESSD-2025-387 dated December 18, 2025, re: **Oplan Kalusugan sa Deped Healthy Learning Institution (OKD-HLI) Onsite Validation.**

The following schools achieved Very Satisfactory and Outstanding ratings during the initial validation of the Self-Appraisal Checklist (SAC). In view thereof, these schools are endorsed to proceed for onsite validation, to wit:

Name of School	Category	Rating
Sta. Cruz Elementary School	Last Mile	Very Satisfactory
Sindaton Elementary School	Last Mile	Very Satisfactory
Namuag Elementary School	Non-Last Mile	Outstanding
GL Dondoy Central Elementary School	Non-Last Mile	Very Satisfactory
San Francisco Elementary School	Non-Last Mile	Very Satisfactory
AOF National High School	Non-Last Mile	Very Satisfactory

School heads shall ensure that there shall no disruption of classes during the onsite validation pursuant to DepEd Order No. 9, s. 2005 entitled "Instituting Measures to Increase Engaged Time-On-Task and Ensuring Compliance Therewith" Furthermore, preparation from the school shall be kept simple and modest. Unnecessary preparations are strictly discouraged.



Republic of the Philippines
Department of Education
REGION XI
SCHOOLS DIVISION OF PANABO CITY

Specific schedules and guidelines for the onsite validation shall follow and shall be communicated accordingly. Recognition shall be scheduled within the first quarter of 2026.

Travel and other incidental expenses relative to monitoring activities shall be charged against local/downloaded funds, subject to the usual auditing and accounting rules and regulations.

For your information and compliance.



JINKY B. FIRMAN, PhD, CESO VI
Schools Division Superintendent

RELEASED

JAN 05 2025

RECORDS SECTION-SDO PANABO CITY
BY 

SGOD/ABA/cjm



Address: City Hall Compound, Km 31, JP Laurel,
Panabo City, Davao del Norte
Telephone No: (084) 823-1469, (084) 628-4066
Email: panabocity.division@deped.gov.ph
Website: www.depedpanabocity.com

Doc. Ref. Code	SDO-SGOD-F001	Rev	00
Effectivity	05.05.2025	Page	2 of 2



Republic of the Philippines
Department of Education
DAVAO REGION

December 18, 2025

REGIONAL MEMORANDUM
ESSD-2025-387

OPLAN KALUSUGAN – HEALTHY LEARNING INSTITUTION
(OKD-HLI) ONSITE VALIDATION

To: Schools Division Superintendents
Davao Oriental
Mati City
Davao del Norte
Tagum City
Panabo City
IGACOS
Davao City
Davao del Sur

1. Herewith is a letter from Department of Health – Davao Center for Health Development, re: Oplan Kalusugan – Healthy Learning Institution (OKD-HLI) Onsite Validation, contents which are self-explanatory.
2. The following schools achieved Very Satisfactory and Outstanding ratings during the initial validation of the School Assessment Checklist (SAC). In view thereof, these schools are endorsed to proceed for onsite validation:

SDO	Name of School
Davao Oriental	Caganganan Elementary School
	Manuel B. Guinez Sr. National High School
	Pintatagan Elementary School
	Bagumbayan Elementary School
	Comara T. Manuel CES SPED Center I
	Lupon Vocational High School
	Sigaboy Central Elementary School
	Caraga Central Elementary School
	Manay National High School
	Baganga National High School
	Sta. Cruz Elementary School
	Immaculada Elementary School
Mati City	Lanca Integrated School
	Dawan CEs
	Mati School of Arts and Trades
	Paterno Madanlo Matiao Central Elementary School
	Don Enrique Lopez National High school
	Davao Oriental Regional Science High School
	Matiao National High School



Republic of the Philippines
Department of Education
DAVAO REGION

Davao del Norte	Talulian Elementary School
	Talulian National High School
	Tubod Elementary School
	Pantaron Elementary School
	Limbaan Elementary School
	Sua-on National High School
	Gupitan Integrated School
	Marcos P. Estoque ES
Tagum City	Pandapan Integrated School
Panabo City	Sta. Cruz Elementary School
	Namuag Elementary School
	GL Dondoy Elementary School
	San Francisco Elementary School
	AO Floirendo National High School
	Sindaton Elementary School
IGACOS	Mambago A Elementary School
Davao City	Beto Elementary School
	Mahayag Elementary School
	Communal National High School
	Mintal Comprehensive High School
	Baliok Elementary School
	A. Bonifacio Elementary School
	Maa Central Elementary School
	Matina Aplaya Elementary School
Davao del Sur	Bonifacio Elementary School

3. School heads shall ensure that there shall be no disruption of classes during the onsite validation pursuant to DepEd Order No. 9, s. 2005 entitled "Instituting Measures to Increase Engaged Time-On-Task and Ensuring Compliance Therewith". Furthermore, preparation from the school shall be kept simple and modest. Unnecessary preparations are strictly discouraged.

4. Specific schedules and guidelines for the onsite validation shall follow and shall be communicated accordingly.

5. Immediate and wide dissemination of this Memorandum is desired.

DEPARTMENT OF EDUCATION RO

RECORDS SECTION

RELEASED

By: _____

REBONFAMIL R. BAGUIO

Director III

Officer-in-Charge

Office of the Regional Director


Enclosed: As stated
ROE3/rsa

Date: Dec. 23, 2025



Address: F. Torres St., Davao City (8000)
Telephone Nos.: (082) 291-0051
Email Address: region11@deped.gov.ph
Website: www.depedroxi.ph





Republic of the Philippines
DEPARTMENT OF HEALTH
Davao Center for Health Development



December 9, 2025

DIR. ALLAN G. FARNAZO
Regional Director
Department of Education XI
F. Torres St., Davao City
8000 Davao del Sur

11 1 DEC 2025

12012 0409
9:37

ATTENTION: Dr. Ritchelle S. Aresco
Medical Officer IV

Dear Dir. Farnazo,

The Department of Health – Davao Center for Health Development respectfully informs your good office that the onsite validation for the Oplan Kalusugan sa DepEd – Healthy Learning Institutions (OKD-HLI) Recognition is scheduled to take place within the first quarter of 2026, as part of the ongoing implementation of the OKD-HLI Program. This activity aims to verify and assess the compliance of schools that have met the OKD-HLI standards.

We kindly request your assistance in informing the concerned Schools Division Offices regarding the schools included in the upcoming onsite validation. For your reference, attached is the list of schools that have successfully passed the initial validation and are endorsed for onsite assessment. A separate advisory will be issued once the specific dates for the onsite validation are finalized. Please take note that **only schools that received Very Satisfactory or Outstanding remarks during the initial validation will be visited** for the onsite assessment.

We sincerely appreciate your continued support and partnership in promoting the health, safety, and well-being of learners across the region. For any clarifications, you may contact Ms. Yasmin P. Mandangan, Health Education and Promotion Officer III, on 0998-852-7533, or Ms. Jennylyn Joy Cagasan on 0936-735-4061.

Truly Yours,

ELLENIETTA HMY N. GAMOLO, MD, MPH, CESO IV
OIC Regional Director

For The Regional Director:

Grace D. Amistoso
GRACE D. AMISTOSO, MD, CRLMPH
OIC Assistant Regional Director

HEPS/JC



Republic of the Philippines
DEPARTMENT OF HEALTH
Davao Center for Health Development



Name of School	Municipality	Pillar 1	Pillar 2	Pillar 3	Pillar 4	Pillar 5	Pillar 6	Remarks
Mangayon Elementary School- Side 4 Extension	Compostela	8	7.5	4.5	2.5	3.5	4.5	Failed
Lorenzo S. Sarmiento Sr National High School	Mawab	9	7.5	7.5	1.5	4	3.5	Failed
Mawab Central Elementary School SPED Center	Mawab	10.5	9	9.5	2	4.5	9	Failed
Qlaycon Integrated School	Monkayo	12	8	6.5	4.5	4.5	5.5	Failed
Totoy Elementary School	Monkayo	2.5	5	3	0.5	2	1	Failed
Tubo-Tubo National High School	Monkayo	11.5	9.5	7	11.5	4.5	6.5	Satisfactory
Carnasi National High School	Montevista	10.5	8	7	8.5	4	6.5	Failed
Montevista National High School	Montevista	10.5	7.5	6.5	5.5	3	7	Failed
Magangil Integrated School	New Bataan	10	9.5	8.5	8.5	4.5	7	Satisfactory
Sison Elementary School	Compostela	13.5	7.5	6.5	4.5	5	8	Satisfactory
Pandagan Integrated School	Tagum City	14	10	8.5	10	4.5	8	Very Satisfactory
Tagum National Trade School	Tagum City	10	9	7.5	8	5	8.5	Failed
Nieves Villalona National High School	Babak District	9	10	9	5	4	8	Failed
Mambago A Elementary School	Samal District	12.5	7.5	8	12	5	7	Very Satisfactory
Aumbay Elementary School	Samal District	6.5	7	7.5	2.5	3.5	3.5	Failed
Don Esteban Dasalla Elementary School	Kaputian District	11.5	8	3.5	3.5	4	4.5	Failed
Buenavista Elementary School	Panabo City	9.5	7.5	5	3.5	4	4	Failed
Sta. Cruz Elementary School	Panabo City	12.5	10	8	9	4.5	7.5	Very Satisfactory
Kasilak Elementary School	Panabo City	13	9	9	7	4	8	Failed
Namuag Elementary School	Panabo City	15	10.5	10	12.5	5	8.5	Outstanding
GL Dondoy Elemmentary School	Panabo City	12.5	11	8	11.5	5	8.5	Very Satisfactory
San Francisco Elementary School	Panabo City	12	9.5	9	11.5	5	6	Very Satisfactory
AO Florendo National High School	Panabo City	12.5	9	7	13	5	7.5	Very Satisfactory
P Changco Elementary School	Panabo City	12.5	9	7.5	8.5	3.5	7	Satisfactory
Sindaton Elementary School	Panabo City	11.5	9.5	8.5	8.5	5	8.5	Very Satisfactory
Bollia National High School	Malita East						No MOVs submitted	No MOVs submitted
TFS of Kritastas Elementary School	Malita West	4	3.5	2	0.5	0.5	1	Failed
Julian M. Torado Elementary School	Malita West						No MOVs submitted	No MOVs submitted
Kangkog Elementary School	Malita West	3.5	6	4.5	0.5	3	4	Failed
Fulong Maliona M. San Sr. National High School	Malita South	5	5.5	2.5	2.5	1	2.5	Failed
Toribio Limcaoco Elementary School	Malita South						No MOVs submitted	No MOVs submitted

Buhangin Elementary School	Malita North	9.5	9	7	5	3	6	Failed
John L. Willson Elementary School	Malita North	8	7.5	8.5	5.5	3.5	6.5	Failed
Malita Central Elementary School	Malita North	15	11	8.5	6.5	4	5.5	Failed
Lante Elementary School	Sta. Maria East	11.5	8	9	9	4	6.5	Satisfactory
Pedro Mariscal National High School	Sta. Maria West							No MOVs submitted
Ignacia Guillermo Central Elementary	JAS II	10.5	7.5	7.5	6.5	3	5.5	Failed
Tanjaw 3A Elementary School	Dujali	14	8.5	7	8.5	4	6	Satisfactory
DAIECOL Elementary School	Dujali	11	8	7	7	4	6	Failed
Takulan Elementary School	Sto. Tomas West District	15	9	9	9	5	7.5	Very Satisfactory
Talulan National High School	Sto. Tomas West District	12	10	8	12	4.5	8.5	Very Satisfactory
Tubod Elementary School	Carmen	13.5	9.5	9.5	8.5	4.5	8	Very Satisfactory
Pantaron Elementary School	Sto. Tomas East District	13.5	9.5	7	9.5	5	8	Very Satisfactory
Sagayen Elementary School	Asuncion	10	8	7.5	8.5	5	6	Satisfactory
Sagayen National High School	Asuncion	10.5	8	8	7	3.5	8	Failed
Tibi-Tibi Elementary School	Talaingod	10	7.5	7	8.5	5	8	Satisfactory
Lindaan Elementary School	New Corella District	15	10.5	8.5	9	4	6	Very Satisfactory
Lindaan National High School	New Corella District	10.5	7.5	6.5	7.5	5	5.5	Failed
Kilatang Elementary School	Kapalong East District	11.5	8.5	6.5	8.5	3.5	6.5	Satisfactory
Suanon National High School	Kapalong East District	13.5	10	8.5	8.5	4.5	6.5	Very Satisfactory
Guptan Integrated School	Larigan	13.5	10.5	8.5	8.5	4	7	Very Satisfactory
Matos P. Estoque	Kapalong East District	14	11	10	10	4.5	7	Very Satisfactory
Caganganan Elementary School	Banaybanay District	12.5	9.5	9	9	5	8	Very Satisfactory
Manuel B. Guinez Sr. National High School	Banaybanay District	14	9.5	9.5	8.5	4.5	8.5	Very Satisfactory
Pintagan Elementary School	Banaybanay District	14	11	10	12.5	5	8	Outstanding
Bagumbayan Elementary School	Lupon West District	12.5	11	9	8.5	5	7.5	Very Satisfactory
Conara T. Manuel CES SPED Center I	Lupon West District	14.5	9	10	12.5	4	8.5	Very Satisfactory
Lupon Vocational High School	Lupon West District	13.5	11	10	10	5	9	Very Satisfactory
Luzan Central Elementary School	Governor Generoso South	11	10.5	9.5	9	4.5	6.5	Satisfactory
Sigaboy Central Elementary School	Governor Generoso North	13.5	11	9.5	8.5	5	7.5	Very Satisfactory
Caraga Central Elementary School	Caraga North District	13.5	10.5	10	9	5	7	Very Satisfactory
Caraga National High School	Caraga North District	11	9.5	8.5	9	5	7.5	Satisfactory
Matay National High School	Manay South District	14	11	9.5	10.5	5	7.5	Very Satisfactory
Baganga National High School	Baganga South District	15	10	10	11	5	8	Very Satisfactory
Sta. Cruz Elementary School	Baganga	12	9	10	8.5	5	9	Very Satisfactory
Boston Central Elementary School	Boston District	9	10.5	9	7.5	4	6	Failed
Cateel Central Elementary School	Cateel 1 District	11.5	9	9.5	6.5	3	5.5	Failed
Paglusangan Integrated School	Cateel 2 District	12.5	10	9	7	4.5	7.5	Failed
Imnacuila Elementary School	Lupon East District	14	10.5	10	9	4.5	8.5	Very Satisfactory

	Manay	12.5	9.5	10	9	4.5	6	No MOVs submitted
Calinawan Elementary School	Mati South District	12.5	9.5	10	9	4.5	6	Very Satisfactory
Lanca Integrated School	Mati South District	11	9	9.5	8.5	5	6	Satisfactory
Iuban Integrated School	Mati South District	10.5	7.5	6.5	3	3.5	4.5	Failed
Cabuaya Integrated School	Mati South District	10	7.5	7	2.5	3.5	0	Failed
Talucanga Elementary School	Mati South District	11	10.5	8	8.5	5	7.5	Satisfactory
Catmonan Elementary School	Mati South District	13.5	10	7.5	9	4.5	7	Very Satisfactory
Bawan Central Elementary	Mati South District	10	9.5	8.5	9	5	8.5	Satisfactory
Magum Elementary School	Mati South District	13.5	8.5	8	8.5	4	6	Satisfactory
Libudon National High School	Mati Central District	14	11	10	11.5	5	8.5	Very Satisfactory
Mati School of Arts and Trades	Mati North District	14.5	11	9	11.5	5	8	Very Satisfactory
Paterno Madanilo Matiao Central Elementary School	Mati Central District	11.5	10.5	8.5	8.5	5	6	Satisfactory
Rabat Rocamora Mati Central Elementary School - I	Mati North District	12	5.5	7.5	10	3	4	Failed
Bugakan Integrated School	Mati North District	13.5	11	9	11.5	5	9	Very Satisfactory
Don Enrique Lopez National High School	Mati North District	10.5	9	9	10.5	5	6	Satisfactory
Sta. Cruz Elementary School	Mati North District	14	8.5	8.5	10	4.5	7	Very Satisfactory
Davao Oriental Regional Science High School	Mati North District	12	9	9.5	10	4.5	6.5	Very Satisfactory
Matiao National High School	Mati North District	10	10	7.5	10	5	7	Satisfactory
Serafin Vizconde Sr. Elementary School	Malabog District	12.5	10	10	12	4	8	Very Satisfactory
Beto Elementary School	Bunawan District	12.5	10.5	9.5	10.5	5	9	Very Satisfactory
Mahayag Elementary School	Cluster 13	10.5	10.5	8	8	4.5	6	Failed
Dr. Santiago Dakudao Sr. NHS	Cluster 15	14.5	10.5	8.5	9.5	5	9	Very Satisfactory
Communal National High School	Cluster 4	12	7.5	7.5	8	4.5	7.5	Failed
Baracayo Integrated School	Cluster 6	13	10.5	10	13	5	7	Very Satisfactory
Mintal Comprehensive HS	Talomo West	14	11	10	10	5	9	Very Satisfactory
Salok Elementary School	Talomo East	14.5	11	10	8.5	5	8.5	Very Satisfactory
A. Bonifacio Elementary School	Talomo East	13.5	10.5	7.5	6.5	5	7.5	Very Satisfactory
Talomo Central Elementary School	Maa District	14	9.5	10	9	5	8.5	Failed
Maa Central Elementary School	Matina District	14	10	10	13	5	8.5	Very Satisfactory
Matina Aplaya Elementary School	General Roxas District	11	8	7	5	4	6.5	Outstanding
Cabagbahangan Elementary School	Sulop District	10	7.5	5	1.5	3.5	1.5	Failed
Parami Elementary School	Bansalan East	13	10.5	8	13	5	8.5	Failed
Bonifacio Elementary School	Matanao II	10.5	6.5	6.5	3.5	3.5	4	Very Satisfactory
Tamlangon Primary School	Hagonoy I	12.5	8	8	5	4	7.5	Failed
Clib Primary School	Magsaysay South	8.5	7.5	6	2	4.5	4	Failed
Blasan Elementary School	Hagonoy I	11.5	7.5	7	2.5	4	5	Failed
San Guillermo Elementary School	Magsaysay South	10	7.5	5	3	4	2	Failed
Mailbo Elementary School	Sta. Cruz North	7	7.5	1.5	1.5	3.5	2	Failed
Sibulan Elementary School								

Cirico C. Godoy Elementary School	Sta. Cruz South	11.5	7.5	7.5	4.5	2.5	6.5	Failed
New Katipunan Elementary School	Matanao I	11	9	9	4.5	4	6	Failed
Maaywer Elementary School	Mt. Apo	6	8	5	6	4	4.5	Failed
Igpt Elementary School	Digos South	11.5	7	8.5	6	4.5	4.5	Failed